

THE CONTENTS OF VOLUMES 32—39

The Geological Society of Finland began its publishing activities in 1929. The papers titled *Comptes Rendus de la Société géologique de Finlände* appeared together with the *Bulletin de la Commission géologique de Finlände* as a double edition. Thus each of the thirty-nine

volumes so far issued bears two serial numbers, e.g. C. R. Soc. géol. Finlände 39; Bull. Comm. géol. Finlände 229. The contents of volumes 1—31 are published in »Guide to the publications of the Geological Survey of Finland», 1960. The contents of volumes 32—39 are listed here.

Suomen Geologisen Seuran Julkaisuja — Meddelanden från Geologiska Sällskapet i Finland — Comptes Rendus de la Société Géologique de Finlände. XXXII. 1960. xvii, 176 p. Bull. Comm. géol. Finlände 188.

Anonymous. Aarne Laitakari at seventy, December 12, 1960, p. XV—XVII

ARTICLES:

- VORMA, ATSO. Laitakarite a new Bi-Se-mineral, pp. 1—10.
KRANCK, E. H. On lineation in gneisses and schists, pp. 11—22, ill. 1 pl.
WENNERTVIRTA, HEIKKI and KAURANEN PENTTI. Radon measurement in uranium prospecting, pp. 23—40, ill.
VALOVIRTA, VEIKKO. Paläobotanische Untersuchung über einen nördlichen Fundort subfossiler *Trapa Natans* L. in Süd-Pohjanmaa, pp. 41—65, ill.
MARMO, VLADI. Serpentinite of Pahta-Autsi, Finnish Lapland, pp. 67—76, ill.
LAPPALAINEN, VEIKKO. Analyses of certain pollens found in Voisalmensaari, near Lappeenranta, pp. 77—86, ill.
KAURANNE, L. K. A statistical study of stone orientation in glacial till, pp. 87—97, ill.

- HÄKLI, AULIS. On high-temperature alkali feldspars of some volcanic rocks of Kenya and northern Tanganyika, pp. 99—108, ill.
OKKO, VEIKKO. The age of the subfossil roots of *Alnus Glutinosa*, Tuusula, southern Finland, pp. 109—119, ill.
SCHERMERHORN, L. J. G. Telescoping of mineral facies in granites, pp. 121—132.
NEUVONEN, K. J. and VESASALO, ARVO. Pollucite from Luolamäki, Somero, Finland, pp. 133—148, ill. 2 pls.
TYNNI, RISTO. Ostseestadium während der Allerödezeit in Askola, Ost-Uusimaa, (Südfinnland), pp. 149—157, ill.
VIRKKALA, K. On the striations and glacier movements in the Tampere region, southern Finland, pp. 159—176, ill. 1 pl.

Suomen Geologisen Seuran Julkaisuja — Meddelanden från Geologiska Sällskapet i Finland — Comptes Rendus de la Société Géologique de Finlände. XXXIII. 1961. 515 p. Bull. Comm. géol. Finlände 196.

LAITAKARI, AARNE. Suomen Geologisen Seuran historiikki 1936—1961. Summary of the Geological Society of Finland 1936—1961, pp. 5—50. 2 pls. 6 appendices.

ARTICLES:

- MIKKOLA, TOIVO. Sediment groups, particularly flysch, of the Precambrian in Finland, pp. 51—65, ill.
PIPPING, FREDRIK. Laumontite from Viitasari, Central Finland, pp. 67—72.

- HIETANEN, ANNA. Metamorphic facies and style of folding in the belt series northwest of the Idaho batholith, pp. 73—103, ill. 1 map.

- CLOOS, ERNST. Bedding slips, wedges, and folding in layered sequences, pp. 105—122, ill.
- WEGMANN, E. Zwei Bautypen präkambrischer Deformations- und Transformationssegmente: Kareliden und Svecofenniden, pp. 123—135.
- MARMO, V. An example of granite obviously derived from ryholitic material, pp. 137—150, ill. 1 pl.
- SAHAMÄ, TH. G. Thermal metamorphism of the volcanic rocks of Mt. Nyiragongo (Eastern Congo), pp. 151—174, ill. 2 pls.
- SAHAMÄ, TH. G. Contact microradiographic distinction between nepheline and kalsilite in thin section, pp. 175—178, 1 pl.
- HAUSEN, HANS. Canarian calderas. A short review based on personal impressions, 1947—1957, pp. 179—213, ill. 4 pls.
- VIRKKALA, K. On the glacial geology of the Hämeenlinna region, southern Finland, pp. 215—242 ill.
- von ECKERMAN, HARRY. The decomposition of Alnö alkaline dikes by percolating water, pp. 241—254, ill. 2 pls.
- SAKSELA, MARTTI. Aspekte der finnischen geologischen Forschung, pp. 255—297, ill. 1 pl.
- KRANCK, E. H. The tectonic position of the anorthosites of eastern Canada, pp. 299—320, ill.
- BARTH, TOM. F. W. Ideas on the interrelation between igneous and sedimentary rocks, pp. 321—326.
- SCHEUMANN, K. H., BOSSDORF, R. und BOCK, TH. Versuch einer genetischen Deutung der lappländischen Granulite, pp. 327—336, 5 pls.
- METZGER, ADOLF A. T. Gedanken zur Deutung geologischen Geschehens, pp. 337—350.
- MAGNUSSON, NILS H. Thirty years' discussions on the origin of the late Svecofennian veined gneisses in Central Sweden, pp. 351—365, ill.
- SIMONEN, AHTI. Feldspar-equilibrium temperature of some finnish rocks, pp. 367—370.
- SIMONEN, AHTI. Olivine from rapakivi, pp. 371—376.
- OHLSON, BIRGER. Observations on recent lake balls and ancient *Corycium* inclusions in Finland, pp. 377—390, ill.
- MARMO, V. On the albite of granitic rocks, pp. 391—398, 1 pl.
- VORMA, ATSO. A new apophyllite occurrence in the Viipuri rapakivi area, pp. 399—404, ill.
- VORMA, ATSO. An X-ray study of the phosphate minerals from the alkaline rock area of Songo, Sierra Leone, pp. 405—416, ill. 2 pls.
- SALMI, MARTTI. Two Littorina transgressions in Virolahti, southeastern Finland, pp. 417—436, ill.
- HÄRME, MAUNU. On the fault lines of Finland, pp. 437—444, ill.
- NEUVONEN, K. J. The apparent age pattern of the crust, pp. 445—454, ill.
- KUURANNE, L. K., LINDBERG, ERIC and LYTTIKÄINEN, ERKKI. Heavy metal analysis of humus in prospecting, pp. 455—572, ill.
- RAMDOHR, PAUL. Magnetische Cassiterite, pp. 473—482, ill. 2 pls.
- ESKOLA, PENTTI. Granitization of quartzose rocks, pp. 483—498, ill.
- TUOMINEN, HEIKKI V. The structural position of the Orijärvi granodiorite and the problem of synkinematic granites, pp. 499—515, ill.

Suomen Geologisen Seuran Julkaisuja — Meddelanden från Geologiska Sällskapet i Finland — Comptes Rendus de la Société Géologique de Finlande, XXXIV. 1962. xix, 218 p. Bull. Comm. géol. Finlande 204.

Anonymous. Professor Esa Hyppä at sixty, p. XVII—XIX.

ARTICLES:

- TUOMINEN, HEIKKI V. On the role of faulting, a reply, pp. 1—4.
- SEITSAARI, JUHANI. On metamorphism and structures in the Ahlainen area, southwestern Finland, pp. 5—31, ill.
- SAVOLAHTI, ANTTI. The rapakivi problem and the rules of idiomorphism in minerals, pp. 33—111, ill. 7 pls.
- HÄRME, MAUNU. An example of anatexis, pp. 113—125, ill. 5 pls.
- LEHIJÄRVI, MAUNO. The quartzite area of Tiurismaa, pp. 127—140, ill.
- VAASJOKI, O. and HEIKKINEN, AULIS. On the significance of some textural and compositional properties of the magnetites of titaniferous iron ores, pp. 141—158, ill. 3 pls.
- SALMI, MARTTI. Investigations on the distribution of pollens in an extensive raised bog, pp. 159—193, ill.
- SALMI, MARTTI. Radiocarbon determinations from the bog profile of Lapaneva, Kihniö, western Finland, pp. 195—205, ill.
- von GAERTNER, HANS RUDOLF. Gedanken zur Tektonik der »Lappländischen Granulite», pp. 207—218, ill. 3 pls.

Suomen Geologisen Seuran Julkaisuja — Meddelanden från Geologiska Sällskapet i Finland — Comptes Rendus de la Société Géologique de Finlande. XXXV. 1963. xv, 114 p. Bull. Comm. géol. Finlande 212.

ARTICLES:

- FELICI, MAURIZIO. Observations on granitization and its characteristic in some rocks near Keuruu, pp. 1—15, ill. 5 pls.
- MARMO, VLADI and MIKKOLA, TOINI. On diabase dikes at Keuruu, Central Finland, pp. 17—25, ill.
- NAYAK, V. K. and NEUVONEN, K. J. Some manganese minerals from India, pp. 27—37, ill.
- LOBOJIT, W. M. A precambrian molasse facies deposit in Ghana, pp. 39—50, ill.
- MARMO, VLADI, HYTÖNEN, KAI and VORMA, ATSO. On the occurrence of potash feldspars of inferior triclinicity within the precambrian rocks in Finland, pp. 51—78, ill.
- HÄRME, MAUNU and PERTTUNEN, VESA. Stromatolite structures in precambrian dolomite in Tervola, North Finland, pp. 79—82, 2 pls.
- WAHL, WALTER. The hypersthene granites and unakites of Central Finland, pp. 83—100, ill.
- OLAUSSON, ERIC and UUSITALO, SULO. On the influence of seismic vibrations on sediments, pp. 101—114, ill.

Suomen Geologisen Seuran Julkaisuja — Meddelanden från Geologiska Sällskapet i Finland — Comptes Rendus de la Société Géologique de Finlande. XXXVI. 1964. xix, 192 p. Bull. Comm. géol. Finlande 215.

M(etsger), A. A. T. Walter Wahl zum 85-jährigen Geburtstag, p. XVII—XIX.

ARTICLES:

- LAUERMA, RAIMO. On the structure and petrography of the Ipernat dome, western Greenland, pp. 1—88, ill. 5 pls. 1 map.
- SAVOLAHTI, ANTTI. Observations on prehnite and its occurrence in Kangasniemi parish, Finland, pp. 89—98, 1 pl.
- SAVOLAHTI, ANTTI. Olivine diabase dike of Ansio in Padajoki, Finland, pp. 99—111, ill. 3 pls.
- VUORELAINEN, Y. HUHMA, A and HÄKLI, A. Sederholmite, Wilkmanite, Kullerudite, Mäkinenite and Trüstedtite, five new nickel selenide minerals, pp. 113—125, ill. 2 pls.
- LEHIJÄRVI, MAUNU and LONKA, ANSSI. The hornblende rapakivi dike of Jaala—Iitti, pp. 127—141, ill. 1 map.
- von KNORRING, OLEG, SAHAMA, TH. G. and SAARI, ESKO. A note on euclase from Muiane mine, Alto Ligonha, Mozambique, pp. 143—145, ill.
- REPO, REINO. Observations on the Jyväskylä ice-marginal fromation in Central Finland, pp. 147—162, ill.
- VAASJOKI, O. A diopside from the Nordre Strömfjord area, West Greenland, pp. 163—170.
- SAVOLAHTI, ANTTI and KURKI, JAAKKO. Observations on the nickeliferous ore block of Niemilahti in Kangaslampi and on small ultrabasic and basic bodies in the Rauhamäki — Kuronlahti district, Finland, pp. 171—192, ill. 4 pls.

Suomen Geologisen Seuran Julkaisuja — Meddelanden från Geologiska Sällskapet i Finland — Comptes Rendus de la Société Géologique de Finlande. XXXVII. 1965, liii, 231 p. Bull. Comm. géol. Finlande 218.

MARMO, VLADI. Pentti Eskola 1883—1964, XXIX—XL, 1 pl.
OKKO, MARJATTA. Pentti Eskola, selected bibliography, XLI—LIII

ARTICLES:

- SAVOLAHTI, ANTTI. On the schists and associated intrusive rocks of the Vieremä—Kiuruvesi region, pp. 1—83, ill. 1 pl.
- VAASJOKI, O. On basalt rocks with native iron in Disko, West Greenland, pp. 85—97, ill. 4 pls.
- HÄRME, MAUNU. A zoned skarn dike in Silvola, southern Finland, pp. 99—105, ill.
- SAHAMÄ, TH. G. Infrared absorption of nepheline, pp. 107—117, ill.
- VORMA, ATSO, SAHAMA, TH. G. and HAAPALA, ILMARI. Alkali position in the beryl structure, pp. 119—129, ill.
- AARIO, RISTO. Entwicklung des Moores Harjulansuo, pp. 131—148, ill. 2 pls.
- VORMA, ATSO and OJANPERÄ, PENTTI. A restudy of »Karamsinite», pp. 149—152.
- NEUVONEN, K. J. Paleomagnetism of the dike systems in Finland. I. Remanent magnetization of jotnian olivine dolerites in southwestern Finland, pp. 153—168, ill.

- VORMA, ATSO. Notes on columbite and tapiolite from the pegmatite area of Tammela and Somero in SW Finland, pp. 169—176, 2 pls.
- CANNON, R. T. Anatexis in the Bartica assemblage, British Guiana, pp. 177—193, ill.
- CLARK, A. HORRELL. The mineralogy and geochemistry of the Ylöjärvi Cu-W deposit, southwest Finland: Bismuth-bearing apatite, pp. 195—199.
- VORMA, ATSO and HOFFRÉN, VÄINÖ. On adelpholite and its relation to the minerals of the yttrontantalite-samarskite series, pp. 201—214.
- AARIO, RISTO. Die Fichtenverhäufung im Lichte von C¹⁴-Bestimmungen und die Altersverhältnisse der finnischen Pollenzonen, pp. 215—231, ill.

Suomen Geologisen Seuran Julkaisuja — Meddelanden från Geologiska Sällskapet i Finland — Comptes Rendus de la Société Géologique de Finlande. XXXVIII, 1966, 408 p. Bull. Comm. géol. Finl. 222.

ARTICLES:

- AARIO, RISTO. Kieselgur in fluvioglazialen Ablagerungen in Haapajärvi in Ostbottnien, pp. 3—30, ill.
- SAHAMA, TH. G. Polygonal growth of beryl, pp. 31—45, ill.
- von KNORRING, OLEG, SAHAMA TH. G. and SAARI, ESKO. A note on the properties of manganotantalite, pp. 47—50.
- VORMA, ATSO. Rozenite — iron sulphate tetrahedrite — as fissure coatings in the black schist at Mulo, Pyhäselkä, in eastern Finland. Mineralogical communication, pp. 51—53.
- MARMO, VLADI. Monzonitic hornblende granite NW of Tebo, Central Sierra Leone, pp. 55—66, ill.
- VORMA, ATSO, KALLIO, PEKKA and MERILÄINEN, KAUKO. Molybdenite-3R from Inari, finnish Lapland. Mineralogical communication, pp. 67—68.
- MARMO, VLADI. On the petrological classification of granites, pp. 69—73.
- MÖLDER, KARL. Über die Entstehung des inneren Salpausselkä zwischen Jaala und Saimaa, pp. 75—92, ill.
- SIMONEN, AHTI. Orbicular rock in Kuru, Finland, pp. 93—107, ill.
- SAVOLAHTI, ANTTI and KUJANSUU, RAIMO. Some features of the Salmenkylä gabbro in Kangasniemi commune, Finland, pp. 109—115, ill.
- PAPUNEN, HEIKKI. Framboidal texture of the pyritic layer found in a peat bog in SE-Finland, pp. 117—125, ill.
- TYNNI, RISTO and SIIVOLA, JAAKKO. On the precambrian microfossil flora in the siltstone of Muhos, Finland, pp. 127—133, ill.
- SAHAMA, TH. G., SAARI, ESKO and HYTÖNEN, KAI. Relationship between götzenite and rosenbuschite, pp. 135—144.
- HYTÖNEN, KAI and HEIKKINEN, AULIS. Alkali amphibole of Otanmäki, Finland, pp. 145—156, ill.
- RASTAS, PENTTI and MARMO, VLADI. On a peculiar breccia at Hirvijärvi, Virrat, Central Finland, pp. 157—168, ill.
- MARMO, VLADI and SIIVOLA, JAAKKO. On the barium-content of some granites of Finland, pp. 169—172.
- SAVOLAHTI, ANTTI. The differentiation of gabbro-anorthosite intrusions and the formation of anorthosites, pp. 173—197, ill.
- SAVOLAHTI, A. and MARJONEN, REINO. On the petrography of the metamorphic schist belt of Hautajärvi, Kiuruvesi commune, Finland, pp. 199—217, ill.
- HÄKLI, T. A. and KEROLA, P. A computer program for boulder train analysis, pp. 219—235, ill.
- VIRKKALA, K. Radiocarbon ages of the Räbacka bog, southern Finland, pp. 237—240, ill.
- VORMA, ATSO, OJANPERÄ, PENTTI, HOFFRÉN, VÄINÖ, SIIVOLA, JAAKKO and LÖFGREN, ARVO. On the rare earth minerals from the Pyörönmaa pegmatite in Kangasala, SW-Finland, pp. 241—274, ill.
- NEUVONEN, K. J. Paleomagnetism of the dike systems in Finland. II. Remanent magnetization of dolerites in the Vaasa archipelago, p. 275—281, ill.
- HÄRME, MAUNU and SIIVOLA, JAAKKO. Plagioclase zoning in a gabbroic dike from Alatornio, northern Finland, pp. 283—288, ill.
- VAASJOKI, O. and PUUSTINEN, KAUKO. On the titaniferous ore oxides in some subsilicic dikes and sills, pp. 289—301, ill.
- VAASJOKI, O. On the faults and diabasic formations in Herajoki region, Karelia, East Finland, pp. 303—310, ill.
- TUOMINEN, HEIKKI V. Structural control of composition in the Orijärvi granodiorite, pp. 311—329, ill.
- CLARK, A. HORELL. The mineralogy and geochemistry of the Ylöjärvi Cu-W deposit, Southwest Finland: mackinawite — pyrrhotite — troilite assemblages, pp. 331—342, ill.
- SAVOLAHTI, ANTTI. On rocks containing garnet, hypersthene, cordierite and gedrite in the Kiuruvesi region, Finland, Part I: Juurikkajärvi, pp. 343—386, ill.
- TUOMINEN, HEIKKI V. On synkinematic svecofennian plutonism, pp. 387—392, ill.

Suomen Geologisen Seuran Julkaisuja — Meddelanden från Geologiska Sällskapet i Finland — Comptes Rendus de la Société Géologique de Finlande. XXXIX. 1967. 217 p. Bull. Comm. géol. Finlande 229.

ARTICLES:

- DIETRICH, R. V. A geobarometer for certain migmatites, pp. 3—9, ill.
- MARMO, VLADI. Remarks on the paper »A geobarometer for certain migmatites» by R. V. Dietrich, pp. 11—15, ill. Reply by R. V. Dietrich, p. 16.
- SAHAMÄ, TH. G. Iron content of melilite, p. 17—28, ill.
- SAHAMÄ, TH. G. and LEHTINEN, MARTTI. Infrared absorption of melilite, pp. 29—40, ill.
- KALLIO, PEKKA. Perrierite from Mäntyharju, Finland. Mineralogical communication, pp. 41—43.
- PAPUNEN, HEIKKI. On the barytes of Finland, pp. 45—69, ill.
- AARTOLAHTI, TOIVE. On dating the genesis of peat banks and hollows in the raised bogs of southwestern Finland, pp. 71—86, ill.
- NEUVONEN, K. J. Paleomagnetism of the dike systems in Finland. III. Remanent magnetization of diabase dikes in Häme, Finland, pp. 87—94, ill.
- HAAPALA, ILMARI, SIIVOLA, JAAKKO and LÖFGREN, ARVO. On the Haapaluoma Sc-bearing columbite and its inclusions, pp. 95—100, ill.
- PIIRAINEN, TAUNO and PIISPANEN, RISTO. On the origin of primary skarn iron ores, pp. 101—104.
- AARTOLAHTI, TOIVE. Über die Dünen von Urjala. pp. 105—121, ill.
- OKKO, MARJATTA. Convolute lamination in a Late-Pleistocene deposit at Pannujärvi, Tuulos, Finland, pp. 123—131, ill.
- REPO, REINO und TYNNI, RISTO. Zur spät- und postglazialen Entwicklung im Ostteil des ersten Salpausselkä, pp. 133—159, ill.
- WINTERHALTER, BORIS and SIIVOLA, JAAKKO. An electron microprobe study of the distribution of iron, manganese, and phosphorus in concretions from the gulf of Bothnia, northern Baltic Sea, pp. 161—172, ill.
- VORMA, ATSO and SIIVOLA, JAAKKO. Sukulaite — $Ta_2Sn_2O_7$ — and wodginite as inclusions in cassiterite in the granite pegmatite in Sukula, Tammela in SW Finland, pp. 173—187, ill.
- LAUERMA, RAIMO and PIISPANEN, RISTO. Worm-shaped casts in precambrian quartzite from Kuusamo, north-eastern Finland, pp. 189—197, ill.
- MÖLDER, KARL und TYNNI, RISTO. Über Finnlands rezente und subfossile Diatomeen I, pp. 199—217, ill.